

RIVETTATRICI
TIRAINSERTI
MANUALI

LD
FASTENERS



INDICE

CUPRINS / CONTENTS /

СОДЕРЖАНИЕ

1 MANUALE DSPOO148 (ø 2,4-4,8)



1 MANUALE DSPOO264 (ø 3,0-6,4)



**2 OLEOPNEUMATICO DSPO148
(ø 2,4-4,8)**



**2 OLEOPNEUMATICO DSPO264
(ø 3,0-6,0)**



**3 OLEOPNEUMATICO DSPO364
(ø 4,0-6,4)**



**3 OLEOPNEUMATICO DSPO464
(ø 4,8-6,4)**



**4 A BATTERIA DSPB50148
(ø 2,4-4,8)**



4 **A BATTERIA DSPB50264**
(ø 4,8-6,4)



5 **OLEOPNEUMATICO DSPIOO3M10**
(ø M3-M10)



6 **OLEOPNEUMATICO DSPIOO4M12**
(ø M4-M12)



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

Manuali

Hand tools / Manuels / Handnietwerkzeuge / Manuales

Code **DSPOO148**

Kg. 0,52

ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable
2,4	▲	▲	▲
3,0	▲	▲	▲
3,2	▲	▲	▲
4,0	▲	▲	▲
4,8	▲		

Code **DSPOO264**

Kg. 1,90

ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable	Rivetti strutturali Structural rivets Rivets de structure Strukturelle Blindniete Remaches estructurales
3,0	▲	▲	▲	▲
3,2	▲	▲	▲	▲
4,0	▲	▲	▲	▲
4,8	▲	▲	▲	▲
6,0	▲	▲	▲	▲
6,4	▲	▲	▲	▲



LD FASTENERS SRL

VIA CAVOUR 12/14, 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

RIVETTATRICI

Rivettatrici con trattenuta del rivetto e recupero del chiodo tranciato.

Tools with rivet holding and nail recovery.

Outils avec retenue du rivet et récupération des clous.

Werkzeuge mit Nietdorn-Absaugvorrichtung und Auffangbehälter.

Remachadoras con retención del remache y recuperación del clavo cortado.

Code **DSPO148**

Kg. 1,18

Corsa / stroke / course / Hub / Carrera: 18mm

Max forza / strength / force / Kraft / fuerza: 7.000N



ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable
2,4	▲	▲	▲
3,0	▲	▲	▲
3,2	▲	▲	▲
4,0	▲	▲	▲
4,8	▲		

Code **DSPO264**

Kg. 1,50

Corsa / stroke / course / Hub / Carrera: 20mm

Max forza / strength / force / Kraft / fuerza: 10.000N



ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable	Rivetti strutturali Structural rivets Rivets de structure Strukturelle Blindniete Remaches estructurales
3,0	▲	▲	▲	▲
3,2	▲	▲	▲	▲
4,0	▲	▲	▲	▲
4,8	▲	▲	▲	▲
6,0	▲	▲		

Hydropneumatic tools / Oléopneumatiques / Hydraulische Setzgeräte / Oleoneumáticas

Code **DSPO364**

Kg. 1,76

Corsa / stroke / course / Hub / Carrera: 26mm

Max forza / strength / force / Kraft / fuerza: 15.200N



Ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable	Rivetti strutturali Structural rivets Rivets de structure Strukturelle Blindniete Remaches estructurales
4,0	▲	▲	▲	▲
4,8	▲	▲	▲	▲
6,0	▲	▲	▲	▲
6,4	▲	▲	▲	▲

Code **DSPO464**

Kg. 1,78

Corsa / stroke / course / Hub / Carrera: 19mm

Max forza / strength / force / Kraft / fuerza: 18.000N



Ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable	Rivetti strutturali Structural rivets Rivets de structure Strukturelle Blindniete Remaches estructurales
4,8	▲	▲	▲	▲
6,0	▲	▲	▲	▲
6,4	▲	▲	▲	▲

A batteria

Battery tools / Sur batterie / Akku- Setzgeräte / De batéria

Code **DSPB50148**

Kg. 1,76

Corsa / stroke / course / Hub / Carrera: 22mm

Max forza / strength / force / Kraft / fuerza: 10.500N



Ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable	Rivetti strutturali Structural rivets Rivets de structure Strukturelle Blindniete Remaches estructurales
2,4	▲	▲	▲	
3,0	▲	▲	▲	
3,2	▲	▲	▲	▲
4,0	▲	▲	▲	▲
4,8	▲	▲	▲	▲

Code **DSPB50264**

Kg. 1,76

Corsa / stroke / course / Hub / Carrera: 22mm

Max forza / strength / force / Kraft / fuerza: 13.000N



Ø	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable	Rivetti strutturali Structural rivets Rivets de structure Strukturelle Blindniete Remaches estructurales
4,8	▲	▲	▲	▲
6,0	▲	▲	▲	▲
6,4	▲	▲	▲	▲

TIRAINSERITI



Valigetta in plastica contenente una tirainseriti DSPI003M10, tiranti e testine M3 ÷ M10.

Plastic case containing 1 tool DSPI003M10 mandrels and heads M3 ÷ M10.

Coffret en plastique avec 1 outil DSPI003M10 mandrins et têtes M3 ÷ M10.

Kunststoffkoffer enthält 1 Werkzeug DSPI003M10 Zugbolzen und Köpfen M3 ÷ M10.

Embalaje en plástico contenente 1 remachadora DSPI003M10, tirantes y cabezas M3 ÷ M10.

M	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable
M3	▲	▲	▲
M4	▲	▲	▲
M5	▲	▲	▲
M6	▲	▲	▲
M8	▲	▲	▲
M10	▲	▲	▲



Kg. 1,80

Corsa / stroke / course / Hub / Carrera: 6.5mm

Max forza / strength / force / Kraft / fuerza: 20.000N



LD FASTENERS SRL

VIA CAVOUR 12/14, 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

Valigetta in plastica contenente una tirainseriti DSPI004 M12, tiranti e testine M4 ÷ M12.

Plastic case containing 1 tool and heads M

Coffret en plastique avec 1 outil DSPI004M12, mandrins et têtes M4 ÷ M12.

Kunststoffkoffer enthält 1 Werkzeug DSPI004M12, Zugbolzen und Köpfen M4 ÷ M12.

Embalaje en plástico contenente 1 remachadora DSPI004M12, tirantes y cabezas M4 ÷ M12.



M	Alluminio Aluminium Aluminium Aluminium Aluminio	Acciaio Steel Acier Stahl Acero	Acciaio Inox Stainless steel Acier inoxydable Edelstahl Acero inoxidable
M4	▲	▲	▲
M5	▲	▲	▲
M6	▲	▲	▲
M8	▲	▲	▲
M10	▲	▲	▲
M12	▲	▲	▲



Kg. 2,46

Corsa / stroke / course / Hub / Carrera: 7mm

Max forza / strength / force / Kraft / fuerza: 29.100N (6bar)

NOTE



VIA CAVOUR 12/14 - 20030 SENAGO (MI) ■ RIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

WWW.LDFASTENERS.COM



LD FASTENERS SRL

Via Custoza, 1
20037 Paderno Dugnano (MI)

Tel: +39 02 99.485.328
Fax: +39 02 99.500.516

✉ info@ldfasteners.com

ISO 9001:2008

