

SPRING PINS



INDICE

CUPRINS / CONTENTS /

СОДЕРЖАНИЕ

1	SIZE Ø 1,5	
1	SIZE Ø 2	
1-2	SIZE Ø 2,5	
2	SIZE Ø 3	
2-3	SIZE Ø 3,5	
3-4	SIZE Ø 4	
4	SIZE Ø 5	
4-5	SIZE Ø 6	
5-6	SIZE Ø 7	

6	SIZE Ø 8	
6-7	SIZE Ø 10	
7	SIZE Ø 11	
7-8	SIZE Ø 12	
8	SIZE Ø 13	
8-9	SIZE Ø 14	
9	SIZE Ø 16	



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

DIN1481	1,5 Ø	LENGTH	MATERIAL
ISO 8752	1,5 mm	4 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	9 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	1,5 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	2 Ø	LENGTH	MATERIAL
ISO 8752	2 mm	4 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	9 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	2,5 Ø	LENGTH	MATERIAL
ISO 8752	2,5 mm	4 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	7 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	11 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ PIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	2,5 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	34 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	2,5 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	3 Ø	LENGTH	MATERIAL
ISO 8752	3 mm	4 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	7 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	15 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	3,5 Ø	LENGTH	MATERIAL
ISO 8752	3,5 mm	4 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14, 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	3,5 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	34 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	3,5 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	4 Ø	LENGTH	MATERIAL
ISO 8752	4 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	15 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	34 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	42 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ PIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	4 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	4 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	5 Ø	LENGTH	MATERIAL
ISO 8752	5 mm	4 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	5 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	7 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	15 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	34 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	38 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	46 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	5 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	6 Ø	LENGTH	MATERIAL
ISO 8752	6 mm	6 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	8 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	6 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	15 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	34 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	85 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	90 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	95 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	6 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	7 Ø	LENGTH	MATERIAL
ISO 8752	7 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ RIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	7 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	7 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	8 Ø	LENGTH	MATERIAL
ISO 8752	8 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	39 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	85 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	95 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	8 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	10 Ø	LENGTH	MATERIAL
ISO 8752	10 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	22 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14, 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	10 mm	34 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	38 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	42 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	57 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	85 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	90 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	120 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	10 mm	140 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	11 Ø	LENGTH	MATERIAL
ISO 8752	11 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	12 Ø	LENGTH	MATERIAL
ISO 8752	12 mm	10 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	12 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	16 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	20 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	25 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	32 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ PIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

SPRING PINS

ISO 8752	12 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	85 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	90 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	95 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	123 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	125 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	12 mm	140 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	13 Ø	LENGTH	MATERIAL
ISO 8752	13 mm	14 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	26 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	85 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	90 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	95 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	110 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	13 mm	120 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	14 Ø	LENGTH	MATERIAL
ISO 8752	14 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	30 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14, 20030 SENAGO (MI) ■ P.IVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

ISO 8752	14 mm	90 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	14 mm	140 mm	Carbon steel, Satinless steel 201/304/316/410

DIN1481	16 Ø	LENGTH	MATERIAL
ISO 8752	16 mm	18 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	24 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	28 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	35 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	36 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	40 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	45 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	50 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	55 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	60 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	65 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	70 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	75 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	80 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	85 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	90 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	100 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	110 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	120 mm	Carbon steel, Satinless steel 201/304/316/410
ISO 8752	16 mm	140 mm	Carbon steel, Satinless steel 201/304/316/410



LD FASTENERS SRL

VIA CAVOUR 12/14 , 20030 SENAGO (MI) ■ PIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM

NOTE



VIA CAVOUR 12/14 - 20030 SENAGO (MI) ■ RIVA E C.F. 06862770960 ■ CAPITALE SOCIALE EURO 20.000 I.V.
PHONE +39 02 99485328 ■ FAX +39 02 99500516 ■ INFO@LDFASTENERS.COM ■ WWW.LDFASTENERS.COM



WWW.LDFASTENERS.COM



LD FASTENERS SRL

Via Custoza, 1
20037 Paderno Dugnano (MI)

Tel: +39 02 99.485.328
Fax: +39 02 99.500.516

✉ info@ldfasteners.com

ISO 9001:2015

